

PRECISION PLUMBING PRODUCTS 2016 - LIST PRICE SCHEDULE



**ISO 14001:2004
CERTIFIED**



**ISO 9001:2008
CERTIFIED**

802 SE 199th Ave • Portland, Oregon 97233 • 503-256-4010

"Specify with confidence – install with pride"®

FAX # 503-253-8165

WEB SITE: www.pppinc.net

Made in the U.S.A.

TEMPERA™ PRESSURE BALANCING VALVE (1/2" FPT)

PART NUMBER	DESCRIPTION	LIST PRICE
TRB-2	BRASS BALANCING VALVE	\$ 115.00
TCP-2	CHROME BALANCING VALVE	210.00
TRB-2HLS	BRASS BALANCING VALVE w/HIGH LIMIT STOP	144.00
TCP-2HLS	CHROME BALANCING VALVE w/HIGH LIMIT STOP	245.00



The Tempera is standard with 1/2" FPT connection. It is a highly sensitive pressure balanced valve designed to hold pre-selected water temperature to within 3°F. Internal parts are constructed of electropolished 303 stainless steel surrounded by a red-bronze cast body containing over 85% ingot copper. **SAE 40 ASTM B62-52. Valves are Certified by ASSE & IAPMO.**

TEMP-DE-TECH™ (THERMOSTATIC SHOWER VALVE)

PART NUMBER	DESCRIPTION	LIST PRICE
TSV-500	1/2" CHROME SHOWER VALVE	\$ 49.00
TLV-500	1/2" CHROME LAV VALVE	58.00
TFV-500TH	1/2" THREADED TUB FILLER VALVE	49.00



If the water temperature at the shower head exceeds 120°F, the TEMP-DE-TECH shower valve will shut down the flow to a trickle. To reset, turn the shower to a lower temperature, the valve will open again as the water cools. **ASSE Certified.**

TEMPERA-THERM™

PART NUMBER	DESCRIPTION	LIST PRICE
TRB-1T	PRESSURE BALANCING VALVE W/PTMV-500-70 MIXING VALVE KIT	LEAD FREE \$ 300.00
TRB-2T	PRESSURE BALANCING VALVE W/PTMV-750-70 MIXING VALVE KIT	300.00
TRB-3T	PRESSURE BALANCING VALVE W/PTMV-1000-70 MIXING VALVE KIT	350.00



Thermostatic/Pressure Balance Valve kits for two & three handle bath and shower trim sets to maintain a constant temperature control of 120°F MAX. Valve combinations provide suitable flow rates for normal residential needs. **ASSE and IAPMO Certified.**

THERMOSTATIC MIXING VALVE

PART NUMBER	DESCRIPTION	LEAD FREE	LIST PRICE
PTMV-500-70	1/2" SWEAT, CPVC, PEX	I	\$ 180.00
PTMV-750-70	3/4" SWEAT, CPVC, PEX		180.00
PTMV-500-17	1/2" SWEAT, CPVC, PEX	I	\$ 160.00
PTMV-750-17	3/4" SWEAT, CPVC, PEX		160.00
PTMV-1000-17	1" SWEAT		200.00



Temperature range 95°F to 140°F. Maximum flow rates for 1/2" valve 13 GPM and 3/4" 15 GPM. Valves are Certified ASSE and IAPMO

NOTE: PTMV-1000 MODELS DO NOT HAVE A CHECK VALVE.

BAC-2-BAC MANIFOLDS™

PART NUMBER	DESCRIPTION	LEAD FREE	LIST PRICE
MA-2	*MODEL #2	I	\$ 190.00
MU-2	*MODEL #2		180.00



(MA) Manifold assembled. (MU) Manifold un-assembled.
Model #2 Bac-2-Bac for use with 1/2", 3/4" and 1" riser.
Please consult specifications when ordering Bac-2-Bac manifold fittings.

CLEAR-FLOW (DIELECTRIC FITTINGS)

PART NUMBER	DESCRIPTION	SIZE (NOM)	BOX COUNT	LEAD FREE	LIST PRICE
19100P	THREAD	1/2"	25	I	\$ 13.15
19125P		3/4"	25		13.20
19145P		1"	25		20.00
19155P	X	1 1/4"	10		29.25
19165P	THREAD	1 1/2"	10		32.85
19175P		2"	10		40.10
19180P		2 1/2"	6		55.00
19185P		3"	6		100.00
19195P		4"	6		134.50
19146P	GROOVED	1"	25		I
19156P		1 1/4"	10	33.85	
19166P	X	1 1/2"	10	39.10	
19176P	THREAD	2"	10	40.10	
19181P		2 1/2"	6	55.15	
19186P		3"	6	99.75	
19196P		4"	6	134.50	



NEW

19200P	GROOVED	2"	10	I	40.10
19201P		X	2 1/2"		6
19202P	GROOVED	3"	6		99.75
19203P		4"	6		134.50

ASSE and IAPMO Certified.

NOTES:

PRECISION PLUMBING PRODUCTS

MASTER CARTON QUANTITIES

PART NUMBER	MASTER CARTON QUANTITY	CARTON WEIGHT	CARTON CUBIC FT
SC-500	50	37 LBS.	0.39
SC-500A	50	18 LBS.	0.35
SC-750	50	42 LBS.	0.46
SC-750B	50	28 LBS.	0.35
SC-1000	25	40 LBS.	0.56
SWA-500	50	33 LBS.	0.46
SWA-500A	50	17 LBS.	0.35
SWA-750	50	39 LBS.	0.46
SWA-750B	50	26 LBS.	0.35
MM-500TH	100	27 LBS.	0.35
MM-500SWA	100	25 LBS.	0.35
MM-500L	50	40 LBS.	1.11
MM-500FPF	50	35 LBS.	0.35
MM-5001FCT	50	39 LBS.	0.35
MM-5002FCT	50	40 LBS.	0.35
MM-5003CPT	50	26 LBS.	0.35
P1-500	25	36 LBS.	0.19
P2-500	25	36 LBS.	0.19
PR-500	25	32 LBS.	0.19
PO-500	50	38 LBS.	1.88
PT-4	01	16 LBS.	1.62
PTS-4	01	17 LBS.	1.62
TRB-2	25	42 LBS.	0.39
DU-4	25	18 LBS.	0.56
DU-U	50	21 LBS.	1.62

ISO 9001:2000 CERTIFIED



PRECISION PLUMBING PRODUCTS

802 SE 199th Ave • Portland, Oregon 97233 • 503-256-4010

"Specify with confidence – install with pride"®

FAX # 503-253-8165

WEB SITE: www.pppinc.net

Made in the U.S.A.