

# PRECISION PLUMBING PRODUCTS 2016 - LIST PRICE SCHEDULE



**ISO 14001:2004  
CERTIFIED**



**ISO 9001:2008  
CERTIFIED**

802 SE 199th Ave • Portland, Oregon 97233 • 503-256-4010

*"Specify with confidence – install with pride"®*

FAX # 503-253-8165

WEB SITE: [www.pppinc.net](http://www.pppinc.net)

Made in the U.S.A.

# PRECISION PLUMBING PRODUCTS LIST PRICE SCHEDULE

## STANDARD WATER HAMMER ARRESTORS

### SYSTEM RATED PLUS (THREADED CONNECTION)

PART NUMBER	DESCRIPTION (P.D.I.)	SIZE (N.P.T.)	LIST PRICE
SC-500	"A" LEAD FREE	1/2"	\$ 35.00
SC-750	"B" LEAD FREE	3/4"	39.00
SC-1000	"C" LEAD FREE	1"	66.00

Normal operating pressure 35 to 250 PSIG Spike pressure 400 PSIG.

Also available in BSP threads quoted separately.

NO ACCESS DOOR REQUIRED. ASSE and IAPMO Listed.

**NOTE: ADD 20% SURCHARGE FOR SPECIAL NITROGEN CHARGE.**

ASSE and IAPMO Certified.



### SYSTEM RATED (THREADED CONNECTION)

PART NUMBER	DESCRIPTION (P.D.I.)	CONNECTION (N.P.T.)	LIST PRICE
SC-500A	"A" LEAD FREE	1/2"	\$ 16.00
SC-750B	"B" LEAD FREE	3/4"	20.00
SC-1000C	"C" LEAD FREE	1"	49.00
SC-1250D	"D" LEAD FREE	1"	67.00
SC-1500E	"E" LEAD FREE	1"	96.00
SC-2000F	"F" LEAD FREE	1"	140.00

ASSE and IAPMO Certified. Meets CA low lead requirements.



### SWEAT/KWIK-PRESS HAMMER ARRESTORS™

PART NUMBER	DESCRIPTION (P.D.I.)	CONNECTION (KWIK-PRESS/SWEAT)	LIST PRICE
SWA-500A	"A" LEAD FREE	1/2"	\$ 16.00
SWA-750B	"B" LEAD FREE	3/4"	19.00
SWA-1000C	"C" LEAD FREE	1"	49.00
SWA-1250D	"D" LEAD FREE	1"	61.00
SWA-1500E	"E" LEAD FREE	1"	93.00
SWA-2000F	"F" LEAD FREE	1"	140.00

Kwik-Press models may be used with quick connect fitting systems.

ASSE and IAPMO Certified. Meets CA low lead requirements.



### STAINLESS STEEL BELLOWS HAMMER ARRESTORS™ (THREADED CONNECTION)

PART NUMBER	DESCRIPTION (P.D.I.)	CONNECTION (N.P.T.)	LIST PRICE
SBHA-500A	"A" LEAD FREE	3/4"	\$ 225.00
SBHA-750B	"B" LEAD FREE	1"	457.00
SBHA-1000C	"C" LEAD FREE	1"	684.00
SBHA-1250D	"D" LEAD FREE	1"	1713.00
SBHA-1500E	"E" LEAD FREE	1"	1934.00
SBHA-2000F	"F" LEAD FREE	1"	2377.00



## MINI-MAX ARRESTORS

### "MINI-MAX"™ (RESIDENTIAL SINGLE FIXTURE) "AA"

PART NUMBER	DESCRIPTION	SIZE	LIST PRICE
MM-500TH	THREADED	1/2" NPT	\$ 13.40
MM-500SWA	SWEAT	1/2" SWEAT	13.20
MM-5001FCT	FEMALE	3/8" COMP. "T" X FEMALE COMP "T"	19.30
MM-5002FCT	FEMALE	5/8" COMP. "T" X FEMALE COMP "T"	19.60
MM-5003CPT	COMPRESSION	3/8" COMP. "T" X COMP "T"	17.25
MM-500L	LAUNDRY	3/4" MALE X FEMALE SWIVEL HOSE	21.65
MM-500TS	TUB/SHOWER	1/2" SWEAT X 1/2" MALE BRANCH	18.00
MM-500FPF	CPVC FTNG	1/2" FEMALE FITTING	15.15
MM-500MPF	CPVC FTNG	1/2" MALE FITTING	16.25
MM-500PEX	PEX BARB TEE	1/2" PEX BARB FITTING	15.15
MM-500PEX19	PEX UPONOR MINI	1/2" PEX BARB FITTING	15.15
MM-500ST	SWEAT TEE	1/2" SWEAT X 1/2" SWEAT	16.45

ASSE and IAPMO Certified.




# MINI-MAX ARRESTORS

## “MINI-MAX”™ ANGLE STOP (SINGLE FIXTURE) WITH ARRESTOR (CHROME PLATED) “AA”

PART NUMBER	DESCRIPTION	SIZE	LIST PRICE
MM-500ASTHLK	THREADED (Loose Key)	1/2"	\$ 110.00
MM-500ASCPLK	COMP. (Loose Key)	5/8"	110.00
MM-500ASCP	COMPRESSION	5/8"	49.00
MM-500ASTH	THREADED (FIP)	1/2"	49.00

LEAD FREE



## “MINI-MAX”™ LAUNDRY/ICE MAKER BOX ASSEMBLY

PART NUMBER	DESCRIPTION	LIST PRICE
MM-500PLB	PLASTIC LAUNDRY BOX	\$ 65.00
MM-500MLB	METAL LAUNDRY BOX	89.00
MM-500PLBFR	PLASTIC LAUNDRY BOX (Fire Rated)	117.00
MM-500PIMB	PLASTIC ICE MAKER BOX	56.00
MM-500MIMB	METAL ICE MAKER BOX	64.00
MM-500PIMBFR	PLASTIC ICE MAKER BOX (Fire Rated)	98.00

LEAD FREE



All Laundry Valve connections are 1/2" NPT, 1/2" PEX, or 1/2" Sweat x 3/4" Hose.  
All Ice Maker Valve connections are 1/2" NPT, 1/2" PEX, or 1/2" Sweat x 1/4" Comp.  
**ASSE and IAPMO Certified. Meets CA low lead requirements.**

# SPECIAL FLUID ARRESTORS

## WATER HAMMER ARRESTOR (NICKEL PLATED)

PART NUMBER	DESCRIPTION	SIZE (N.P.T.)	LIST PRICE
SNP-500	ELECTROLESS	1/2"	\$ 49.00
SNP-750	NICKEL PLATED	3/4"	53.00
SNP-1000	"	1"	60.00
SNP-1250	"	1"	120.00
SNP-1500	"	1"	130.00
SNP-2000	"	1"	350.00

LEAD FREE



Normal operating pressure 35 to 250 PSIG. Spike pressure 400 PSIG.  
For use in corrosive application. Manufacturing leadtime: 4-6 weeks from date of order. Larger sizes available and quoted separately.  
BSP Threads also available. **NOTE: THESE ARE SPECIAL ORDER AND CAN NOT BE RETURNED.**

## WATER HAMMER ARRESTOR (STAINLESS STEEL)

PART NUMBER	DESCRIPTION	SIZE (N.P.T.)	LIST PRICE
SS-500316	316 STAINLESS STEEL	1/2"	\$ 70.00
SS-750316	"	3/4"	80.00
SS-1000316	"	1"	95.00
SS-1250316	"	1"	164.00
SS-1500316	"	1"	210.00
SS-2000316	"	1"	370.00

LEAD FREE



Normal operating pressure 35 to 500 PSIG.  
Spike pressure not to exceed 2,000 PSIG. for 316SS  
For use with corrosive application or where high pressures are possible.  
Manufacturing leadtime: 6-8 weeks from date of order.

**ASSE and IAPMO Certified. Meets CA low lead requirements.**

## WATER HAMMER ARRESTORS (FLANGE)\*

PART NUMBER	BOLT OPENING	DESCRIPTION	LIST PRICE
<b>COPPER/BRASS (CLASS 150)</b>		<b>(BLUE LINE)</b>	
SCS-3000FLG	3/4" - 4	3" FLG X 3" BORE	\$ 700.00
SCS-4000FLG	3/4" - 4	4" FLG X 4" BORE	1,124.00
SCS-5000FLG	7/8" - 8	5" FLG X 5" BORE	2,400.00
SCS-6000FLG	7/8" - 8	6" FLG X 6" BORE	4,560.00
SCS-8000FLG	7/8" - 8	8" FLG X 8" BORE	12,000.00
<b>316 STAINLESS STEEL (CLASS 300)</b>		<b>(SILVER LINE)</b>	
SS-3000316FLG	3/4" - 8	3" FLG X 3" BORE	\$ 1,543.00
SS-4000316FLG	3/4" - 8	4" FLG X 4" BORE	2,500.00
SS-5000316FLG	3/4" - 8	5" FLG X 5" BORE	6,000.00
SS-6000316FLG	3/4" - 12	6" FLG X 6" BORE	9,200.00
SS-8000316FLG	3/4" - 12	8" FLG X 8" BORE	14,000.00

\*Allow 8-10 weeks for delivery. Class 300 arrestors are non-returnable and non-cancelable.



## WATER HAMMER ARRESTORS (PIGMENTED CPVC)

PART NUMBER	DESCRIPTION	SIZE (N.P.T.)	LIST PRICE
CPVC-500	SCH.#80 GREY	1/2"	\$ 135.00
CPVC-750	"	3/4"	150.00
CPVC-1000	"	1"	190.00
CPVC-1500	"	1 1/2"	330.00
CPVC-2000	"	2"	500.00
CPVC-3000	"	3"	1,100.00
CPVC-4000	"	4"	2,636.00

LEAD FREE



Normal operating pressure 100 PSIG. For use in distilled and triple distilled application, and high temperature water systems not to exceed 100°F, or where corrosive conditions may be present.

Pigmented CPVC conforms to ASTM standards: 1784 for materials and F-441 for pipe.

CPVC (Hi-Temp) = Type IV Grade 1 = 4120 = cell classification 23447-B

Manufacturing leadtime: 3-6 weeks from date of order.

NOTE: CPVC ARRESTORS ARE NON-RETURNABLE AND NON-CANCELABLE.

## WATER HAMMER ARRESTOR (HIGH PRESSURE WITH FILLER CAP)

PART NUMBER	DESCRIPTION	SIZE (N.P.T.)	LIST PRICE
HPC-500	COPPER/BRASS	1/2"	\$ 145.00
HPC-750	"	3/4"	150.00
HPC-1000	"	1"	180.00
HPC-1250	"	1"	220.00
HPC-1500	"	1"	230.00
HPC-2000	"	1"	450.00



Normal operating pressure 35 to 500 PSIG. Spike pressure 2,000 PSIG.

For use on potable water systems where extreme pressure is possible.

Manufacturing leadtime: 4-6 weeks from date of order. Available in BSP threads quoted separately.

NOTE: THESE ARE NON-RETURNABLE AND NON-CANCELABLE.

# NOTES:

## PRECISION PLUMBING PRODUCTS

# MASTER CARTON QUANTITIES

PART NUMBER	MASTER CARTON QUANTITY	CARTON WEIGHT	CARTON CUBIC FT
SC-500	50	37 LBS.	0.39
SC-500A	50	18 LBS.	0.35
SC-750	50	42 LBS.	0.46
SC-750B	50	28 LBS.	0.35
SC-1000	25	40 LBS.	0.56
SWA-500	50	33 LBS.	0.46
SWA-500A	50	17 LBS.	0.35
SWA-750	50	39 LBS.	0.46
SWA-750B	50	26 LBS.	0.35
MM-500TH	100	27 LBS.	0.35
MM-500SWA	100	25 LBS.	0.35
MM-500L	50	40 LBS.	1.11
MM-500FPF	50	35 LBS.	0.35
MM-5001FCT	50	39 LBS.	0.35
MM-5002FCT	50	40 LBS.	0.35
MM-5003CPT	50	26 LBS.	0.35
P1-500	25	36 LBS.	0.19
P2-500	25	36 LBS.	0.19
PR-500	25	32 LBS.	0.19
PO-500	50	38 LBS.	1.88
PT-4	01	16 LBS.	1.62
PTS-4	01	17 LBS.	1.62
TRB-2	25	42 LBS.	0.39
DU-4	25	18 LBS.	0.56
DU-U	50	21 LBS.	1.62

## ISO 9001:2000 CERTIFIED



## PRECISION PLUMBING PRODUCTS

802 SE 199th Ave • Portland, Oregon 97233 • 503-256-4010

*"Specify with confidence – install with pride"®*

FAX # 503-253-8165

WEB SITE: [www.pppinc.net](http://www.pppinc.net)

Made in the U.S.A.